



Table S1. Minimum inhibitory Concentration (mcg) of antibiotics against isolated *Ps. aeruginosa*

Name of Antibiotics	Strips Concentration Range (mcg)	Minimum inhibitory Concentration (mcg)				
		PA2	PA3	PA5	PA6	PA7
Piperacillin/Tazobactam (PIT)	0.001-240	30	30	60	30	30
Amikacin (AK)	0.001-256	32	16	32	32	16
Ampicillin (AMP)	0.016-256	>240	128	240	>240	128
Gentamicin (GEN)	0.001-240	30	30	10	30	30
Co-Trimoxazole (COT)	0.001-240	>240	>240	>240	>240	>240
Nalidixic Acid (NA)	0.001-240	>240	>240	>240	>240	>240
Azithromycin (AZM)	0.0001-128	16	32	32	16	32
Ciprofloxacin (CIP)	0.001-240	0.25	0.25	0.25	0.25	0.25
Vancomycin (VA)	0.001-240	>240	240	>240	>240	240
Chloramphenicol (C)	0.001-240	>240	240	240	>240	240
Amoxicillin-clavulanic acid (AMC)	0.001-240	>240	>240	>240	>240	>240
Ceftriaxone (CTR)	0.001-240	5	5	10	5	5
Aztreonam (AT)	0.001-240	60	30	30	60	30
Oxacillin (OX)	0.016-250	>256	>256	>256	>256	>256
Tobramycin (TOB)	0.001-240	2	2	2	2	2
Erythromycin (E)	0.001-240	>240	240	240	>240	240
Streptomycin (S)	0.001-30	30	10	7.5	30	10

Figure S1. Random Representative Photos of Minimum inhibitory Concentration (mcg) of antibiotics against isolated *Ps. aeruginosa*





Streptomycin (S)